

Used MDS M515 Mobile Trommel Unit #1209

#SN TMD515CCKN40107

M515

Fines - 4"

Mid-Product - 12"

Output – Up to 500 Tons per Hour

Tipping Grid - 22"

Hopper and Feeder

Feed hopper capacity – 16.5yd³

Feed Mechanism - Hardox heavy duty steel pan reciprocating push feeder

Plate width - 3' 1"

Trommel Drum

Diameter – 5'-0"

Length – 20'-0"

Incline angle - 5 degrees

Screen sizes

- Fines: 4" square opening

- Mid Product: 12" square opening

Drum Construction: Fully welded fines and mid sections

Drum cleaner – Included

Transport Dimensions

Dimension (L x W x H) – 55'-11" x 10'-0" x 12'-1"

Conveyors

Fines Conveyor

- 3'-11" wide
- Heavy-duty belt
- Feeding to the rear of the machine.
- Output height: 12'-3"
- Single hub Hydraulic Drive

Mid Product Conveyor

- 3'-3" wide
- Heavy-duty belt
- Feeding to the side of the machine.
- Output height 11'-6"
- Single hub Hydraulic Drive

Oversize Conveyor

- 3'-11" wide
- Heavy-duty belt
- Feeding to the front of the machine.
- Output height 12'-3"
- Single hub Hydraulic Drive

Power Unit

This unit is powered by CAT 4.4 (131HP) engine

Control Panel

Control panel – dust and weatherproof to IP55

Panel contents – ignition key switch, emergency stop, and emergency stop circuit tester. Various

control gauges (revs and temperatures)



