

MDS M413 Track Mounted Trommel Unit #1440

#TMD413CCKR25341

Equipment As Follows:

The M413 Track Trommel is perfect for cleaning dirty material and can handle rocks up to 600mm (24") in size. It comes complete with fold out stockpiling conveyors and is ideal for moving around the quarry and from one site to another.

M1413

Fines - 4"

Mid-Product - 12"

Tipping Grid - 18"

Hopper and Feeder

Feed hopper capacity – 5.23yd³

Hopper Extensions - Folding hopper extensions

Transport Dimensions

Transport Dimension (L x W x H) – 43'-11" x 8'-5" x 11'- 0" (no tipping grid)

Transport Dimension (L x W x H) – 43'-11" x 8'-5" x 11'- 7" (tipping grid)

Working Dimension (L x W x H) – 55'-2" x 22'-0" x 10'- 2"

Weight



Standard Unit – 26 tons

Unit with Drum Cleaner - 27 tons

Unit with Grid - 28 tons

Unit with Cleaner and Grid - 30 tons

Weight with Chassis Riser

Standard Unit – 26 tons

Unit with Drum Cleaner - 28 tons

Unit with Grid - 29 tons

Unit with Cleaner and Grid - 30 tons

Conveyors

Fines Conveyor

- 3'-3" wide

- Discharge height 6'-6"

Mid Product Conveyor

- 4'-5" wide

- Discharge height 6'-6"

Oversize Conveyor

- 3'-3"

- Wide tough flex belt

- Discharge height 6'-8"

Power Unit

Engine - CAT 2.2 55kW (73.76HP) Diesel Engine. Tier 4 Final/STAGE 5 Dual Certified

Electrical Control System

Hydraulic Oil & Lubrication

Standard - ISO Grade 46

Optional - Grade 68 (hot climates)

Chassis & Tracks

Heavy track undercarriage

Control operation of tracks - via handheld-set with connection lead or wireless remote control

Telematics

T-Link Telemetry System fitted c/w 3 years Satellite and GSM data subscription, bundled deal with ancillary services

Paint

MDS standard Colors – cream & grey



RBS **SCOTT**

EQUIPMENT • WEAR PARTS • SERVICE

